



	Barista T One		Barista T Plus	
	2Gr	3Gr	2Gr	3Gr
Maße BxTxH in mm	700x475x535	920x475x535	700x475x535	920x475x535
Maße Barista T COMPACT			560x475x535	
Leistung Boiler (230V)	3500 W	3500 W	3500 W	3500 W
Leistung pro B.-Gruppe	1000 W	1000 W	1000 W	1000 W
Gewicht kg	71	93	71	93
Volumen Boiler (l)	8	8	8	8
Dampflinien	2	2	2	2
Heißwasserauslass	1	1	1	1
dynamisches Vorheizen	√	√	√	√
Doppelmanometer	√	√	√	√
Rotationspumpe	√	√	√	√
elektr. Füllstandskontrolle	√	√	√	√
Boilerablassventil	√	√	√	√
volumetrische Dosierung	√	√	√	√
Barista Lights	√	√	√	√
Edelstahl Heizelement & Pumpe	√	√	√	√
PID Control Brühgruppe (0,1 °)	√	√	√	√
intern regelb. elekt. Thermostat				
PID Control Dampftemp. (1°)	√	√	√	√
Dampftemperatur per Pressostat				
digitales Multifunktionsdisplay	√	√	√	√
Pre-Infusion 100% regelbar 0,1s	√	√	√	√
Pre-Infusion +4 s An / Aus				
Brühgruppenheizung	√	√	√	√
Brühgruppen isoliert	√	√	√	√
Taster f. Heißwasser	√	√	√	√
Drehregler f. Heißwasser				
isolierter Boiler			√	√
Drehregler f. Dampf	√	√		
Joy- Stick f. Dampf			√	√
Kaltwasserzugabe f. Teewasser			√	√
Thermosicherung je Brühgruppe			√	√
aktive Tassenheizung			√	√

